

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	(filter\$3 with ((reduc\$4 decreas\$3) near5 (strength support)) with (visual human))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 11:08
L2	246248	(filter\$3 near5 strength support) with edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 11:09
L3	249	(filter\$3 near5 strength) with edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 11:10
L4	28	((chang\$3 adjust\$3 alter\$3 increas\$3 decreas\$3) near5 filter\$3 near5 strength) with edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 11:32
L5	0	((chang\$3 adjust\$3 alter\$3 increas\$3 decreas\$3) near5 filter\$3 near5 strength) with (edge near3 (amount quantity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 11:38
L6	0	((chang\$3 adjust\$3 alter\$3 increas\$3 decreas\$3) with (filter\$3 near5 strength)) with (edge near3 (amount quantity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 11:39
L7	8	(filter\$3 near5 strength) with (edge near3 (amount quantity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 12:23
L8	4710	382/232,239,261-263;375/242.02. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 12:24
S1	36	sarna-lalit.in. vidiator.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:50

EAST Search History

S2	84	((adaptive\$2 dynamic\$4) near5 filter\$3) with texture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 11:30
S3	17	S2 and (video with (encod\$3 compress\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 10:41
S4	42707	((adaptive\$2 dynamic\$4 feed\$1back) with (smooth\$3 averag\$3 ((remov\$3 reduc\$4) near5 high\$1frequenc\$3) ((low low\$1pass) adj3 filter\$3) LPF))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 13:06
S5	750	(video near5 (encod\$3 compress\$3)) with pre\$1process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 10:45
S6	1175	(video near5 (encod\$3 compress\$3)) same pre\$1process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 11:37
S7	2	S2 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 10:46
S8	81	S4 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 10:46
S9	49	S4 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 10:47
S10	2	((adaptive\$2 dynamic\$4) near5 (smooth\$3 filter\$3)) with texture with non\$1linear\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 09:14
S11	95	(smooth\$3 filter\$3) with texture with non\$1linear\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 11:33

EAST Search History

S12	0	S6 and ((smooth\$3 filter\$3) with texture with non\$1linear\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 11:37
S13	18	(non\$1linear\$2 adj1 (smooth\$3 filter\$3)) with texture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 11:35
S14	1	(non\$1linear\$2 adj1 filter\$3) with (smooth\$3 near5 texture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 11:41
S15	132	filter\$3 with (smooth\$3 near5 texture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 11:37
S16	101	filter\$3 with (smooth\$3 near3 texture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 11:37
S17	21	S15 and (video near5 (encod\$3 compress\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 12:05
S18	1	(non\$1linear\$2 adj3 (((smooth\$3 low low\$1pass) adj1 filter\$3) LPH) with texture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 14:54
S19	1	(non\$1linear\$2 adj3 (((smooth\$3 low low\$1pass) adj1 filter\$3) LPF) with texture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 11:43
S20	26	(non\$1linear\$2 with (((smooth\$3 averag\$3 low low\$1pass) near5 filter\$3) LPF) same texture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 11:44
S21	130	(smooth\$3 near5 texture) and (video near5 (encod\$3 compress\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 12:05

EAST Search History

S22	12	(smooth\$3 near5 texture) same (video near5 (encod\$3 compress\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 12:05
S23	692	((adaptive\$3 alter\$3 chang\$3 vary\$3) with filter with (support shape size) with (strength seight coefficient))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 13:10
S24	22	((adapt\$5 alter\$3 chang\$3 vary\$3) with filter with (support) with (strength))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 13:09
S25	129	(video image) same ((adapt\$5 alter\$3 chang\$3 vary\$3) with filter with (support shape size) with (strength weight coefficient))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 13:13
S26	32	(video image) same ((adapt\$5 alter\$3 chang\$3 vary\$3) with filter with (support shape size) with (strength weight))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 13:13
S27	0	((smooth\$3 low low\$1pass) adj1 filter\$3) LPH) with ((object target foreground subject) near5 texture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 15:47
S28	7	((smooth\$3 low low\$1pass) adj1 filter\$3) LPH) with ((object target foreground subject) with texture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 15:11
S29	9	((smooth\$3 low low\$1pass) adj1 filter\$3) LPF) with ((object target foreground subject) with texture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 15:32
S30	19	((smooth\$3 low low\$1pass) adj1 filter\$3) LPF) with ((region ROI area border boundar\$3) with texture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 15:33
S31	27	((smooth\$3 low low\$1pass) adj1 filter\$3) LPF) with ((frame with block with macro\$1block) granularity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 15:56

EAST Search History

S32	70	(filter\$3 with frame with block with macro\$1block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 15:57
S33	9	(filter\$3 with (select\$4 chosen) with frame with block with macro\$1block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 16:00
S34	1	(encod\$3 compress\$3) same (frame with block with macro\$1block with granularity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 16:02
S35	0	(process\$3) same (frame with block with macro\$1block with granularity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 16:02
S36	6	(encod\$3 compress\$3) and (frame with block with macro\$1block with granularity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:41
S37	0	(smooth\$3 low\$1pass LPF) same ((adaptive\$2 near5 Gaussian) with (support strength))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 12:03
S38	2	(smooth\$3 low\$1pass LPF) same (Gaussian with ((adaptive\$2 different) near5 (support strength)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 12:06
S39	21	(smooth\$3 low\$1pass LPF) same (adaptive\$2 near5 Gaussian)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 12:35
S40	6	(non\$1linear near5 (smooth\$3 low\$1pass LPF)) with texture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 12:38
S41	39	(non\$1linear near5 filter\$3) with texture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 12:43

EAST Search History

S42	9	(non\$1linear with smooth\$3 with texture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:24
S43	10579	(filter\$3 near5 strength)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:25
S44	0	(adjust\$4 increas\$3 decreas\$3 chang\$3 alter\$3) with (filter\$3 near5 strength) with ((compar\$3 difference) near5 (previous old) near5 (current new))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:26
S45	6	(adjust\$4 increas\$3 decreas\$3 chang\$3 alter\$3) with (filter\$3 near5 strength) with ((compar\$3 difference) near5 (previous old current new))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:28
S46	2	(filter\$3) and (frame with block with macro\$1block with granularity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:47
S47	48	(filter\$3 with select\$4 with granularity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:52
S48	3	(pre\$1process\$3 with (choos\$3 chosen different select\$4) with granularity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:55
S49	13782	((pre\$1process\$3 filter\$3) with (choos\$3 chosen different select\$4) with (block macroblock frame granularity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:48
S50	6	(block with macroblock with frame with granularity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:57
S51	56312	((process\$3 filter\$3) with (choos\$3 select\$4) with (block macroblock frame))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 16:00

EAST Search History

S52	65	((process\$3 filter\$3) with (choos\$3 select\$4) with (block with macroblock with frame))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 16:12
S53	57	S52 and (MPEG JPEG2000 JPEG2K)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 16:02
S54	57	S52 and (MPEG)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 16:15
S55	4	S52 same (MPEG)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 16:02
S56	1417	((pre\$1proce\$3 process\$3 filter\$3) with (choos\$3 chosen select\$4) with granular\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 16:13
S57	18	S56 and (MPEG)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 17:55
S58	9	(pre\$1process\$3 same ((adaptive adj filter\$3) with (parameter criteri\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 17:59
S59	148	((adaptive adj filter\$3) with ((select\$3 determin\$5) near5 (parameter criteri\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 18:02
S60	8	((adaptive adj filter\$3) with ((select\$3 determin\$5) near5 (parameter criteri\$2)) with weigh\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 18:02
S61	2876	((adaptive\$2 dynamic\$4) near5 (smooth\$3 filter\$3)) with (object target subject face ROI interest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 09:16

EAST Search History

S62	1529	((adaptive\$2 dynamic\$4) near5 (smooth\$3 filter\$3)) with (object ROI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 09:16
S63	458	(adaptive\$2 adj (smooth\$3 filter\$3)) with (object ROI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 09:16
S64	0	(adaptive\$2 adj smooth\$3) with (object ROI) with non\$1linear\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 09:24
S65	34	((adaptive\$2 dynamic\$4) near5 (smooth\$3 filter\$3)) with (object target subject face ROI interest) with non\$1linear\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 09:17
S66	0	(adaptive\$2 adj smooth\$3) with (object ROI) with median	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 09:24
S67	5	smooth\$3 with (object ROI) with adaptive\$2 with (kalman non\$1linear\$2 median)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 09:26
S68	16	(low\$1pass smooth\$3) with (object region subject face target ROI) with adaptive\$2 with (kalman non\$1linear\$2 median)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 09:29
S69	34	(smooth\$3) with (adaptive\$2 near3 (kalman non\$1linear\$2 median))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 09:31
S70	13	(adaptive\$2 near3 median) with (object texture region ROI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 09:40
S71	31	(noise smooth\$3) with (adaptive\$2 near3 (non\$1linear kalman median)) with (object face target texture area region ROI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 09:52

EAST Search History

S72	207	(noise smooth\$3) with (adaptive\$2 near3 (median non\$1linear))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 09:53
S73	9020	((detect\$3 extract\$3 locat\$3 segmentation) near5 (object face target)) with (smooth\$3 enhanc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 11:17
S74	1	S72 same S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 09:55
S75	10	S72 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 11:12
S76	4	(compress\$3 with pre\$1process\$3) same (((detect\$3 extract\$3 locat\$3 segmentation) near5 (object face target)) with (smooth\$3 enhanc\$5 noise))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 11:14
S77	1266	(video near5 (object face target)) with (smooth\$3 enhanc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 11:17
S78	276	video with ((detect\$3 extract\$3 locat\$3 segmentation) near5 (object face target)) with (smooth\$3 enhanc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 11:18
S79	94	smooth\$3 with (object near5 texture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 11:30
S80	160	(filter\$3 LPF) with (object near5 texture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 11:42
S81	18337	(filter\$3 LPF smooth\$3) near5 texture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 11:42

EAST Search History

S82	756	(area region) with ((filter\$3 LPF smooth\$3) near5 texture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 11:43
S83	57	(area region) with (smoothed smoothing) near5 texture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 15:02
S84	8200	(adaptive\$2 near5 filter\$3) with (support size strength coefficient value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 15:04
S85	330	(adaptive\$2 near5 filter\$3) with (support size) with (strength coefficient value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 15:11
S86	0	(adaptive\$2 near5 filter\$3) with (support) with (strength)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 15:05
S87	50	(adaptive\$2 near5 filter\$3) with (support kernel) with (strength coefficient value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 15:11
S88	57	(adaptive\$2 near5 filter\$3) with (support kernel) with (size strength coefficient value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 15:28
S89	0	(adaptive\$2 near5 filter\$3) with (support kernel) with (size shape) with (strength coefficient weight)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 15:28
S90	6	(adaptive\$2 near5 filter\$3) same (support kernel) with (size shape) same (strength coefficient weight)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 15:37
S91	11	(adaptive\$2 near5 filter\$3) same (support kernel) same (size shape) same (strength coefficient weight)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 15:33

EAST Search History

S92	2	"386538".apn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 15:34
S93	2	("6535632").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/27 15:34
S94	91	(filter\$3 smooth\$3 noise) with frame with macro\$1block with block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:18
S95	12	(filter\$3 smooth\$3 noise) same (frame with macro\$1block with block with (level granular\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 11:30
S96	23	(select\$3 choos\$3 chosen) with (frame with macro\$1block with block with (level granular\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:27
S97	44	(filter\$3 smooth\$3 noise process\$3 pre\$1process\$3) same (frame with macro\$1block with block with (level granular\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 11:55
S98	279	compression same ((filter\$3 smooth\$3 noise process\$3 pre\$1process\$3) with (selectable switchable))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 11:56
S99	40	compression same (filter\$3 near5 (selectable switchable))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 13:56
S100	73	(weight\$3 near5 combin\$5) with ((decision select\$3) near5 (parameter criter\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 14:10
S101	74	(weight\$3 near5 combin\$5) with ((decision select\$3) near5 (parameter criter\$3 evidence))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 15:14

EAST Search History

S10 2	12	(filter\$3 near5 strength) with ((difference change varia\$4) near5 (previous current past last))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 15:49
S10 3	2	("7272186").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/29 15:39
S10 4	355	(filter\$3 near5 strength) near5 (difference change varia\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 15:50
S10 5	10	S104 same compress\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 15:51
S10 6	28	(encod\$3 compress\$3) with ((multiple plural\$3 several) near3 output) with ((shar\$3 common) near5 (process\$3 data information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 11:51
S10 7	41	(encod\$3 compress\$3) with ((one "same" unique) adj input) with ((multiple plural\$3 several) adj output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 17:50
S10 8	237	((multiple plural\$3 several) near3 (encod\$3 compress\$3 transcod\$1)) with ((shar\$3 common "same") near5 (process\$3 pre\$1process\$3 filter\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 11:57
S10 9	26	((multiple plural\$3 several) near3 (encod\$3 compress\$3 transcod\$1)) with ((shar\$3 common "same") near5 (filter\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 11:55
S11 0	9	((multiple plural\$3 several) adj (encoder compressor transcoder)) with ((shar\$3 common "same") near5 (process\$3 pre\$1process\$3 filter\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 12:41
S11 1	44	video same ((smooth\$3 LPF low\$1pass) with (scene adj chang\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 13:09

EAST Search History

S11 2	16	video same ((smooth\$3 LPF low\$1pass) with (image adj chang\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 13:09
----------	----	---	---	----	----	------------------